Emeraid Mixes and Ratios

What is Emeraid?

Emeraid is an emergency diet that can be used for a variety of species. Emeraid do four different types of diet:

- Omnivore
- Carnivore
- Herbivore
- Piscivore

Different diets can be mixed together to help meet the nutritional needs of an animal. Once opened, Emeraid should be kept in the fridge and used within 6 months.

Which one is best for each species?

Emeraid Scoop Size	Small end = 1 tsp	Large end = 1 tbsp			
Mix with	20ml water	60ml water			
Mixing Ratio = X number of scoops + 1 part water					

Water temperature: 39.5-40.5°C

		Number of scoops (X)			
	Species	Omnivore	Carnivore	Herbivore	Piscivore*
В	Pigeon/Doves	6			
I	Blackbirds,	4.5	0.5		
R	Robins, Thrushes				
D	Sparrows	1.5	1.5		
S	Finches, Siskin	6			
	Warblers		2		
	Woodpecker	3	1		
	Corvids	6			
	Kingfisher,				2
	Heron,				
	Cormorant,				
	Egret, Grebe				
	Mallard Duck	6			
	Swans, Geese	3		2	
	Gulls		2		
	Birds of Prey		2		
	Game Birds	4.5	0.5		
М	Hedgehog	1.5	1.5		
Α	Fox		2		
М	Rabbit/Hare			4	
М	Rodents (e.g.	4.5	1.5		
Α	rats, mice)				
L	Mustelids (e.g.		2		
S	weasel, stoats)				

*When mixing Emeraid Piscivore it is necessary to add fish oil at a rate of 0.2ml per 20ml of water or 0.6ml per 60ml of water.

How often should you feed?

Mammals and birds under 500g should be fed four times a day. Mammals and birds over 500g should be fed three times a day.

How much per feed?

It is important to make sure that patients are stable before attempting to feed. Animals should be hydrated and at a normal body temperature before feeding.

	First Feed (1% of BW)	Second Feed (2% of BW)	Third Feed (3% of BW)
50g	0.5ml	1ml	1.5ml
100g	1ml	2ml	3ml
150g	1.5ml	3ml	4.5ml
200g	2ml	4ml	6ml
250g	2.5ml	5ml	7.5ml
300g	3ml	6ml	9ml
350g	3.5ml	7ml	10.5ml
400g	4ml	8ml	12ml
450g	4.5ml	9ml	13.5ml
500g	5ml	10ml	15ml
1kg	10ml	20ml	30ml
2kg	20ml	40ml	60ml